

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	(US-20050125520-\$).did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 10:16
L2	22	(US-20040218582-\$ or US-20040117624-\$ or US-20040081166-\$ or US-20020133617-\$).did. or (US-7013395-\$ or US- 7194491-\$ or US- 7123587-\$ or US- 6598071-\$ or US- 5596722-\$ or US- 6640248-\$ or US- 5515509-\$).did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 10:16
L3	38	(US-20040103211-\$ or US-20040059789-\$ or US-20020032765-\$ or US-20020029268-\$ or US-20050021590-\$ or US-20010027479-\$ or US-20040054807-\$).did. or (US-5839105-\$ or US- 6263334-\$ or US- 6601049-\$ or US- 6490571-\$ or US- 6975628-\$ or US- 6901453-\$ or US- 6760762-\$ or US- 6714217-\$ or US- 6640239-\$ or US- 6618752-\$ or US- 6374289-\$ or US- 7206289-\$ or US- 6839754-\$).did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 10:16
L4	1	L1 and ((system adj topology adj (criterion or criteria)) or (topology near2 (criterion or criteria)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 10:23

L5	32	(US-20050125520-\$ or US-20040218582-\$ or US-20040117624-\$ or US-20040081166-\$ or US-20020133617-\$ or US-20050021590-\$ or US-20040103211-\$ or US-20040059789-\$ or US-20040054807-\$ or US-20020032765-\$ or US-20020029268-\$ or US-20010027479-\$).did. or (US-7194491-\$ or US-7123587-\$ or US-7013395-\$ or US-6640248-\$ or US-6598071-\$ or US-5596722-\$ or US-5515509-\$ or US-7206289-\$ or US-6975628-\$ or US-6901453-\$ or US-6839754-\$ or US-6760762-\$ or US-6714217-\$ or US-6640239-\$ or US-6618752-\$ or US-6601049-\$ or US-6490571-\$ or US-6374289-\$ or US-6263334-\$ or US-5839105-\$).did.	US-PGPUB; USPAT	AND	ON	2008/04/09 10:43
L6	21	L5 and (density or dense or quality or stability or stable or (path near2 number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 10:43
L7	7	L5 and (dens\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 10:49
L8	1	L5 and (number near2 path near4 (increas\$4 or "more" or add\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 10:50
L9	1	L5 and (number near2 path near4 (increas\$4 or "more" or add\$4 or find \$4 or discover\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 10:50

L10	3	L5 and (number near2 path near6 (increas\$4 or "more" or add\$4 or find \$4 or discover\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 10:51
L11	25	L5 and topology	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 10:51
L12	1	L5 and (recommen\$5 or prompt\$4 or requir\$5 or request\$4) near5 (updat \$4 or chang\$4 or alter\$4 or improv\$5 or modif\$5) near4 (topology or (node near2 (position or location)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 12:19
L13	126	@ad< "20031203" and "709"/\$3.ccls. and (recommen\$5 or prompt \$4 or requir\$5 or request \$4) near5 (updat\$4 or chang\$4 or alter\$4 or improv\$5 or modif\$5) near4 (topology or (node near2 (position or location)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 12:21
L14	2456	709/204.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 12:21
L15	56	@ad< "20031203" and "709"/\$3.ccls. and (calculat\$5 or determin \$5) near5 (best or optimum or improved) near5 (topology or (node near2 (position or location)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 12:58

L16	15	@ad< "20031203" and "709"/\$3.ccls. and (calculat\$5 or determin \$5) near5 (best or optimum or improved) near5 (topology or (node near2 (position or location))) and (transform \$4 or chang\$4 or updat \$4 or alter\$4) near2 (topology or (node near2 (position or location)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:03
L17	4	"hanson, james".in. and "whalley, ian".in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:06
L18	382	("IBM".as. or "International Business Machines".as.) and topology.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:07
L19	0	L1 and (approach\$5 near5 (criterion or criteria or condition or goal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:11
L20	1	L1 and (criteria or criterion or state or goal or topology) near5 correspond\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:18
L21	1	L1 and (gaussian)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:20
L22	1	L1 and (histogram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:20
L23	1	L1 and (inter-relationship)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:23

L24	0	L1 and (inter-relationship) same histogram	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:23
L25	10	@ad< "20031203" and "709"/\$3.ccls. node with histogram	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:25
L26	0	@ad< "20031203" and "709"/\$3.ccls. node with histogram with relationship	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:26
L27	1	L1 and relationship with histogram	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:26
L28	35	(US-20050125520-\$ or US-20040218582-\$ or US-20040117624-\$ or US-20040081166-\$ or US-20020133617-\$ or US-20050021590-\$ or US-20040103211-\$ or US-20040059789-\$ or US-20040054807-\$ or US-20020032765-\$ or US-20020029268-\$ or US-20010027479-\$ or US-20050080894-\$ or US-20030105821-\$).did. or (US-7194491-\$ or US-7123587-\$ or US-7013395-\$ or US-6640248-\$ or US-6598071-\$ or US-5596722-\$ or US-5515509-\$ or US-7206289-\$ or US-6975628-\$ or US-6901453-\$ or US-6839754-\$ or US-6760762-\$ or US-6714217-\$ or US-6640239-\$ or US-6618752-\$ or US-6601049-\$ or US-6490571-\$ or US-6374289-\$ or US-6263334-\$ or US-	US-PGPUB; USPAT	AND	ON	2008/04/09 13:27

		5839105-\$ or US-6882627-\$).did.				
L29	1	L28 and (node or agent) with (relationship or connection or connectivity or neighbor) with (chart or histogram or history or diagram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:28
L30	363	@ad< "20031203" and "709"/\$3.ccls. and (node or agent) with (relationship or connection or connectivity or neighbor) with (chart or histogram or history or diagram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:28
L31	0	@ad< "20031203" and "709"/\$3.ccls. and (node or agent) near5 (relationship or connection or connectivity or neighbor) near5 histogram	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:29
L32	190	@ad< "20031203" and "709"/\$3.ccls. and (node or agent) near5 (relationship or connection or connectivity or neighbor) near5 (chart or histogram or history or diagram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:29
L33	10	@ad< "20031203" and "709"/204.ccls. and (node or agent) near5 (relationship or connection or connectivity or neighbor) near5 (chart or histogram or history or diagram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:29
L34	2	@ad< "20031203" and "709"/204.ccls. and (node or agent) near5 (relationship or connection or connectivity or neighbor) near5 (chart or histogram or history)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:30

L35	1	@ad< "20031203" and "709"/204.ccls. and (node) near5 (relationship or connection or connectivity or neighbor) near5 (chart or histogram or history or diagram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:30
L36	7	L28 and (route or node or agent) near10 (history or record or past or histo \$5 or profile)	US-PGPUB; USPAT	AND	ON	2008/04/09 13:32
L37	4	L28 and (topology with (criteria or criterion or requirement))	US-PGPUB; USPAT	AND	ON	2008/04/09 13:38
L38	104	@ad< "20031203" and (determin\$5 or calculat \$5) near10 topology near3 type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:40
L39	70	@ad< "20031203" and (determin\$5 or calculat \$5) near5 topology near3 type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:40
L40	14	@ad< "20031203" and "709"/\$3.ccls. and (determin\$5 or calculat \$5) near5 topology near3 type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:40
L41	14	@ad< "20031203" and "709"/\$3.ccls. and (determin\$5 or calculat \$5) near5 topology near3 (type or category)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:42
L42	71	@ad< "20031203" and (determin\$5 or calculat \$5) near5 topology near3 (type or category)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:42
L43	2	"5606664".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:44

L44	8	"5606664".pn. or "5684959".pn. or "5737319".pn. or "5886643".pn. or "5727157".pn. "5684796".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:47
L45	0	L44 and (topology near8 (criteria or criterion or requirement))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:52
L46	12	"5606664".pn. or "5684959".pn. or "5737319".pn. or "5886643".pn. or "5727157".pn. "5684796".pn. or "5850397".pn. or "5708772".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:53
L47	2	L46 and (topology near8 (criteria or criterion or requirement))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:53
L48	2	L46 and (topology with (criteria or criterion or requirement))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:54
L49	2	L46 and (topology same (criteria or criterion or requirement))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:54
L50	11	L46 and (topology)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:56
L51	1	L46 and (topology near5 (label\$4 or identify\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/09 13:57

4/ 9/ 2008 2:25:35 PM

C:\Documents and Settings\jfrink1\My Documents\EAST\Workspaces\ 726724 - RCE.wsp